

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Aug-2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: Product Number:

0035

Recommended Use:

Cleaning agent

Uses Advised Against:

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

CLEAN BY PEROXY

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:

Serious Eye Damage/Eye Irritation:

Category 2 Category 2A

GHS Label Elements

Signal Word: Symbols: Warning



Hazard Statements:

Causes serious eye irritation Causes skin irritation.

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves Wear eye / face protection

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get

medical attention. Take off contaminated clothing and wash before reuse.

-Ingestion:

Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for

additional information.

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Disposal: Not Applicable

Not Applicable

Hazards Not Otherwise Classified:

Not Applicable

Revision Date: 20-Aug-2014 0035 - CLEAN BY PEROXY

Other Information:

-Ingestion:

CONTRACTOR STATE OF A STATE OF A

- · May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.

Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|--------------------|-------------|----------|
| water | 7732-18-5 | 60-100 |
| alcohol ethoxylate | 34398-01-1 | 1-5 |
| hydrogen peroxide | 7722-84-1 | 1-5 |
| alcohol ethoxylate | 68439-46-3 | 1-5 |
| quaternary amine | 68478-94-4 | 1-5 |
| fragrance | PROPRIETARY | <.01 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and -Eye Contact:

continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms

persist, call a physician

Consult a physician if necessary Wash off immediately with soap and plenty of water while -Skin Contact:

removing all contaminated clothes and shoes

Remove to fresh air Call a physician If breathing is irregular or stopped, administer artificial -Inhalation:

respiration Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomiting.

Treat symptomatically. Note to Physicians:

5. FIRE-FIGHTING MEASURES

Product does not support combustion. Use extinguishing agent suitable for type of Suitable Extinguishing Media:

surrounding fire

Combustion products are toxic. Releases oxygen when heated to decomposition which may Specific Hazards Arising from the

intensify fire.

Chemical: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. **Hazardous Combustion Products:**

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full **Protective Equipment and**

protective gear. Cool fire-exposed containers with water spray. **Precautions for Firefighters:**

6. ACCIDENTAL RELEASE MEASURES

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. **Personal Precautions:** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into **Environmental Precautions:**

surface water or sanitary sewer system.

Cover liquid spill with sand, earth or other non-combustible absorbent material. Use Methods for Clean-Up: personal protective equipment as required. Dam up. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Advice on Safe Handling: Wash contaminated clothing before reuse. Do not breathe mist, vapors or spray. Do not

eat, drink or smoke when using this product.

Page 2/5

0035 - CLEAN BY PEROXY Revision Date: 20-Aug-2014

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|--------------------------------|------------|-------------------------------------------------------------------------|----------------------------------------------|
| hydrogen peroxide 7722-84-1 | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m³ | IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m³ |

IDLH - Immediately Dangerous to Life or Health

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Tight sealing safety goggles.

Skin and Body Protection: Respiratory Protection: Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section 3 should be

considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Liquid |
|---------------------------------|--------------------------------------------|
| Color: | Light blue |
| Odor: | Pleasant |
| pH: | Undiluted: 2.1-3.0 / Diluted 1:64: 3.0-4.0 |
| Melting Point / Freezing Point: | No information available. |
| Boiling Point / Boiling Range: | 100 °C / 212 °F |
| Flash Point: | > 100 °C / > 212 °F |
| Evaporation Rate: | < 1 (BuAc = 1) |
| Flammability (solid, gas) | No information available. |
| Upper Flammability Limit: | No information available. |
| Lower Flammability Limit: | No information available. |
| Vapor Pressure: | No information available. |
| Vapor Density: | No information available. |
| Specific Gravity: | 1.014 |
| Solubility(ies): | Soluble in water |
| Partition Coefficient: | No information available. |
| Autoignition Temperature: | No information available. |
| Decomposition Temperature: | No information available. |
| Viscosity: | No information available. |

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas.

Conditions to Avoid: Extremes of temperature and direct sunlight.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Metals.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

0035 - CLEAN BY PEROXY Revision Date: 20-Aug-2014

11. TOXICOLOGICAL INFORMATION

Pain, redness, swelling of the conjunctiva and blurred vision.

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-

-Eye Contact:
-Skin Contact:

Pain, redness and cracking of the skin.

-Inhalation:

Need discomfort and coughing

-innalation:

Nasal discomfort and coughing.

-Ingestion:

Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:

Data not available or insufficient for classification.

Target Organ Effects:

-Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

7035 mg/kg

ATEmix (dermal): ATEmix (inhalation-gas): 39625 mg/kg 22943 mg/l

ATEmix (Innalation-gas): ATEmix (inhalation-dust/mist): 22943 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|--------------------|---------------------------------------------|--------------------|
| water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| hydrogen peroxide 7722-84-1 | = 801 mg/kg (Rat) | = 4060 mg/kg (Rat) = 2000 mg/kg (Rabbit) | = 2 mg/L (Rat) 4 h |
| alcohol ethoxylate 68439-46-3 | = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | Not Available |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|--------------------------------|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------------|
| hydrogen peroxide 7722-84-1 | 2.5: 72 h Chlorella vulgaris mg/L EC50 | 16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | 7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static |

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

Not Regulated

Proper Shipping Name:

Non Hazardous Product

15. REGULATORY INFORMATION

0035 - CLEAN BY PEROXY

Revision Date: 20-Aug-2014

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-------------------------|------------------------------------|
| chloromethane - 74-87-3 | Developmental Male Reproductive |
| acetaldehyde - 75-07-0 | Carcinogen |

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

WARNING: This product contains a chemical known to the State of California to cause cancer.

16. OTHER INFORMATION

NFPA

Health Hazards: 2

Flammability: 0

Instability: 1

HMIS

Health Hazards: 2

Flammability: 0

Physical Hazards: 1

Special: N/A

Revision Date:

20-Aug-2014

Reasons for Revision:

No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet