

Version 1.3

MSDS Number: 400000005189

Revision Date: 03/02/2016

SECTION 1. IDENTIFICATION

Product name

: PURELL® PROFESSIONAL SURFACE DISINFECTANT -

FINISHED PRODUCT USE ONLY

Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron, Ohio, 44311

Telephone

: 1 (330) 255-6000

Emergency telephone

number

: 1-800-424-9300 CHEMTREC

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids

: Category 3

GHS Label element

Hazard pictograms

Signal word

: Warning

Hazard statements

: H226 Flammable liquid and vapour.

Precautionary statements

: Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards None Known



Version 1.3 MSDS Number: 400000005189 Revision Date: 03/02/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>=1-<5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

If inhaled : If sensitivity occurs, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : If sensitivity occurs, wash with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical attention.

If swallowed : Rinse mouth with water. Obtain medical attention.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing meth-

: Use extinguishing measures that are appropriate to local cir-



Version 1.3

MSDS Number: 400000005189

Revision Date: 03/02/2016

ods

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Material can create slippery conditions.

Environmental precautions

: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Methods and materials for containment and cleaning up Non-sparking tools should be used. Soak up with inert absorbent material.

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid contact with eyes.

Conditions for safe storage

No smoking.

Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH



Version 1.3	MSDS Number: 400000005189	Revision Date: 03/02/2016

L	STEL	400 ppm	ACGIH
	TWA	400 ppm 980 mg/m3	NIOSH REL
	ST	500 ppm 1,225 mg/m3	NIOSH REL
	TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra-tion	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally re-

quired.

Eye protection

: No special measures necessary provided product is used

correctly.

Skin and body protection

: No special measures necessary provided product is used

correctly.

Protective measures

: Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Colour

: colourless

Odour

: alcohol-like

Odour Threshold

: No data available

pН

: 12.6 - 12.9, (24 °C)



Version 1.3

MSDS Number: 40000005189

Revision Date: 03/02/2016

Melting point/freezing point

: No data available

Initial boiling point and boiling

: 77 °C

range

Flash point

: 30.8 °C

Method: Pensky-Martens closed cup

Evaporation rate

: No data available

Flammability (solid, gas)

Not applicable

Upper explosion limit

19 %(V)

Lower explosion limit

: 3.3 %(V)

Vapour pressure

: No data available

Relative vapour density

: No data available

Relative density

: No data available

Density

: 0.952 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature

: not determined

Thermal decomposition

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, dynamic

: 2.6 mPa.s

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

Possibility of hazardous reactions

: Vapours may form explosive mixture with air.

Conditions to avoid

: Heat, flames and sparks.

Incompatible materials

: Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.



Version 1.3

MSDS Number: 400000005189

Revision Date: 03/02/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA. No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



Version 1.3

MSDS Number: 400000005189

Revision Date: 03/02/2016

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available on product

Persistence and degradability: No information available on product

Bioaccumulative potential: No information available on product

Mobility in soil: No information available on product

Other adverse effects: No information available on product

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No.

: UN 1987

Proper shipping name

: Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class

: 3

Packing group

: 111

Packing instruction (cargo

: 366

aircraft)

IMDG-Code UN number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class

: 3

Packing group

: 111

Labels

3 : F-E, S-D

EmS Code Marine pollutant

: no



MSDS Number: 400000005189 Revision Date: 03/02/2016 Version 1.3

National Regulations

49 CFR

UN/ID/NA number : UN 1987 Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

3 Class : 111 Packing group **ERG Code** : 127 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium Hydroxide	1310-58-3	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting re-

guirements of SARA Title III, Section 302.

: The following components are subject to reporting levels es-**SARA 313**

tablished by SARA Title III, Section 313:

Isopropyl Alcohol 67-63-0 1.42%

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

29.4 % Ethyl Alcohol 64-17-5 67-63-0 1.42 % Isopropyl Alcohol

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

0.35 % Potassium Hydroxide 1310-58-3



1-5%

PURELL® PROFESSIONAL SURFACE DISINFECTANT - FINISHED PRODUCT

Version 1.3	 	MSDS	Number:	40000	000518	39 Revisio	n Date: 03/02	<u>2/2016</u>
	 			_				

The following Hazardous Chemicals	s are listed under	the U.S. CleanWater Act, Section 31:	1, Table
117.3:			
Potassium Hydroxide	1310-58-3	0.35 %	

117.3:		, 000
	10-58-3 0.35 %	
Massachusetts Right To Know		
Ethyl Alcohol	64-17-5	20 - 35 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Pennsylvania Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	20 - 35 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Potassium Hydroxide	1310-58-3	0.1 - 1 %
New Jersey Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	20 - 35 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re-

67-63-0

productive harm.

The components of this product are reported in the following inventories:

CH INV	: On the inventory, or in compliance with the inventory
--------	---

TSCA : On TSCA Inventory

Isopropyl Alcohol

: All components of this product are on the Canadian DSL. DSL

AICS : On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory **NZIoC**

: On the inventory, or in compliance with the inventory ISHL **ENCS**

: On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory **KECI**

: On the inventory, or in compliance with the inventory **PICCS**

: On the inventory, or in compliance with the inventory **IECSC**

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information:

SAFETY DATA SHEET



PURELL® PROFESSIONAL SURFACE DISINFECTANT - FINISHED PRODUCT

Version 1.3

MSDS Number: 400000005189

Revision Date: 03/02/2016

Revision Date

: 03/02/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.