

5332 Dansher Road Countryside, Illinois 60525



MATERIAL SAFETY DATA SHEET

Revision Date: 4/9/2010

MSDS No. EM-008

Emergency Phones: 800-752-4754

800-424-9300 (CHEMTREC)

PLEASE NOTE: This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this material. Please read the information on these sheets, and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL and STATE RIGHT-TO-KNOW regulations. Also make this information available to any employee who requests it. It is your obligation to comply with these regulations.

SECTION I - PRODUCT IDENTITY

PRODUCT NAME: e.MIX Non-Corrosive Bathroom & Bowl Cleaner / Descaler

	HMIS	RATINGS	
Health =1 (Slight)		Flammability = 0 (Minimal)	
Reactivity = 0 (Minimal)	,	Protection = B (Goggles & Gloves)	
Acid Sall (CAS 506-89-8)	SECTION II - HAZA PERCENT 5-10%	ARDOUS INGREDIENTS TLV N/A	CARCINOGEN (OSHA,TP,IARC) · N/A
at the state of th			v.

SECTION III - CHEMICAL AND PHYSICAL

Appearance: Clear Blue/Green Liquid Odor: Mild – No Fragrance Added pH: 4 1 in Concentrale, 2.0-4.0 in Dilution Water Solubility: Complete Viscosity: Water Thin SAL AND FIT SIGKL

Boiling Point: <212° F

Meilting Point: N/A

Spec, Gravity (1-20 = 1): 1.025 (8.54 lbs/gai)

Vapor Pressure (mm Hg): N/A

VOC Content: 0%

SECTION IV - FIRE AND EXPLOSION HAZARDS

None to Boiling

Upper: N/A Lower: N/A

Extinguishing Media: Water fog, foam, alcohol foam, CO₂, dry chemical Special Firefighting Procedures and Hazards: In general, no special aspects.

SECTION V - REACTIVITY INFORMATION

Stable: 🛛

Unstable:

Explosion Limits:

Precautions: Incompatibility: None known

Flash Point (Method):

Hazardous Decomposition Products: If in a fire: CO, CO₂, hydrocarbons.

Hazardous Polymerization: Occurs:

Does Not Occur.

EM-008 Page 1 of 2

SECTION VI - HEALTH HAZARDS - PROTECTIVE MEASURES - FIRST AID

Inhalellon:

Breathing of mists may cause irritation. If there is a problem, move party to fresh air.

No. 1. 5.2 3

Skin:

Extended contact could cause inflation. Some personnel are more sensitive than others, wear gloves.

Eyes:

Can cause initiation. Wear glasses or goggles. If material gets into eyes, flush with water immediately for 15 minutes. If initiation persists, consult a physician.

Ingostion:

Can cause irritation, consult a physician Most likely routes of ontry: Skin, Eyes.

Other important Medical or Precautionary Information: None

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Spills and Leake; Small spills can be flushed into normal drainage or into ground with copious amounts of water, or taken up with absorbent material. Do not drain to sewor without dilution, Lerger spills should be contained by diking or other methods and held for disposal or rouse.

Storage and Handling: Keep away from heat, sparks and open flames. Check daily for any container leaks.

Waste Disposel: Dispose of material according to total sanitation regulations. Observe label pracautions.

Empty Containers: Rinse well before handling and disposal. Observe tabel precautions.

Other Pressutions; N/A

SECTION VIII - REGULATORY INFORMATION

Reportable for SARA Title III, 9.313 (Form R): None

The information herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge. However, Chembland informational cannot give any guarantees regarding information from other sources, and expressly does not make any warranties, nor assumes any liability, for its use.